REED et al.

Application No.: 09/724,685

Page 2

1.-36. (Canceled)

- 37. (Currently Amended) An isolated polypeptide comprising an amino acid sequence as set forth in SEQ ID NO:115 107 or an amino acid sequence comprising an immunogenic portion of SEQ ID NO:115.
- 38. (Original) A fusion protein comprising a polypeptide according to claim 37.
- 39. (Original) A composition comprising a polypeptide of claim 37 or a fusion protein of claim 38; and a physiologically acceptable carrier.
- 40. (Original) The composition of claim 39, further comprising a non-specific immune response enhancer.
- 41. (Original) The composition of claim 40, wherein the non-specific immune response enhancer is an adjuvant.
- 42 (Withdrawn) A method for detecting tuberculosis in a subject, said method comprising the steps of :
- (a) obtaining a biological sample comprising peripheral blood mononuclear cells from the subject;
 - (b) measuring cytokine production by the cells, and
- (c) contacting the cells with a polypeptide of claim 37; thereby detecting tuberculosis in a subject.
- 43. (Withdrawn) The method of claim 42, wherein the cytokine is interferon gamma.

REED et al.

Application No.: 09/724,685

Page 3

44. (Withdrawn) The method of claim 42, wherein the peripheral blood mononuclear cells are lymphocytes.

- 45. (Withdrawn) The method of claim 42, wherein the sample is a blood sample.
- 46. (Withdrawn) A method for detecting tuberculosis in a subject, said method comprising the steps of:
 - (a) obtaining a biological sample from the subject;
 - (b) contacting the biological sample with a polypeptide of claim 37, and
- (c) detecting an antibody in the sample, thereby detecting tuberculosis in the subject.
- 47. (Withdrawn) The method of claim 46, wherein the sample is a blood sample.
- 48. (Withdrawn) A method for detecting tuberculosis in a subject, said method comprising the steps of:
 - (a) contacting dermal cells of the subject with a polypeptide of claim 37,
- and (b) detecting an immune response on the subject's skin, thereby detecting tuberculosis in the subject.
- 49. (Withdrawn) The method of claim 48, wherein the immune response is induration.
 - 50. (Withdrawn) A diagnostic kit comprising:
 - (a) a polypeptide of claim 37; and
- (b) apparatus sufficient to contact the polypeptide with the dermal cells of a patient.

PATENT

REED et al.

Application No.: 09/724,685

Page 4

51. (Withdrawn) A method of eliciting an immune response in a subject, the method comprising the steps of administering to the subject an immunogenically effective amount of a composition comprising a polypeptide comprising an amino acid sequence as set forth in SEQ ID NO:115 or an amino acid sequence comprising an immunogenic portion of SEQ ID NO:115, and a physiologically acceptable carrier.

- 52. (Withdrawn) The method of claim 51, wherein the composition further comprises a non-specific immune response enhancer.
- 53. (Withdrawn) The method of claim 52, wherein the non-specific immune response enhancer is an adjuvant.
 - 54. (Withdrawn) The method of claim 51, wherein the subject is a human.
- 55. (Original) A vaccine comprising a polypeptide of claim 37 or a fusion protein of claim 38; and a physiologically acceptable carrier.

oul.